## υροποι

## Brass manifold loop end caps

Job name:	Location:
Engineer:	Date submitted:
Contractor:	Submitted by:
Manufacturer's representative:	Approved by:

Technical data	
Material	Brass
Temp/pressure ratings	73 °F (23 °C) at 160 psi (11 bar)
	180 °F (82 °C) at 100 psi (6.9 bar)
	200 °F (93 °C) at 80 psi (5.5 bar)
Desident laterary stars and southers	

Product information and application us

The Basic End Cap terminates the end of the TruFLOW™ Jr. Modular Manifolds. Required gaskets and o-rings are included.

The Brass Manifold Loop End Cap closes off unused QS20 loop connections.



Part name		Part no.	A [mm]	B [mm]	C [mm]	D [mm]	End Type 1	Prop 65 label required?	Weight per UOM [kg/UOM]
Brass Manifol	ld Loop End Cap, R20	A2080020	33.24	30.16	11.51	8.99	ISO 228-G	-	0.0363
Brass Manifol	ld Loop End Cap Gasket, spare part	A2400020	23.88	23.88	2.29	-	-	Yes	0.001
Part name	Part no.	Code	S		Standards		Listin	gs	

Brass manifold loop end caps All	-	A	STM F877 -	

## InstallationRelated applicationsThe Basic End Cap threads onto one end of a brass manifold. The seal is aided by a gasket. Do not<br/>over-tighten. The Brass Manifold Loop End Cap threads onto a brass manifold outlet. The seal is<br/>aided by a gasket. Do not over-tighten. For more information, refer to the Uponor Radiant Installation<br/>Handbook. Available accessories: Basic End Cap Gasket, spare part (A2400032); Loop End Gasket,<br/>spare part (A2400020)Radiant Heating and Cooling Systems

Contact I	nformation
Uponor Inc.	Uponor Ltd.
5925 148th Street West	6510 Kennedy Road
Apple Valley, MN 55124	Mississauga, ON L5T 2X4
T 800.321.4739	T 888.594.7726
F 952.891.2008	F 800.638.9517
	Uponor Inc. 5925 148th Street West Apple Valley, MN 55124 T 800.321.4739