

## Accesorios en L para tinas de cobre sin plomo (LF) ProPEX

Project information	
Job name:	Location:
Engineer:	Fecha de envío:
Contractor:	Presentada por:
Manufacturer's representative:	Approved by:

## Technical data

Material Copper Temp/pressure ratings

73 °F (23 °C) at 160 psi (11 bar)

180 °F (82 °C) at 100 psi (6.9 bar)


200 °F (93 °C) at 80 psi (5.5 bar)

Prop 65 label required?

## Product information and application use

The ProPEX® Copper Tub EII,  $\frac{1}{2}$ " PEX Lead-free (LF) Brass x  $\frac{1}{2}$ " Copper is available for use in hot and cold domestic potable water systems. The copper tub ell is comprised of  $\frac{1}{2}$ " copper pipe with an Uponor ProPEX Fitting on one end and the other end open

Note: Temperature and pressure ratings stated are hydrostatic ratings. For domestic hot-water (DHW) and DHW recirculation installations, operating conditions should not exceed 140°F ( $60^{\circ}$ C) at 80 psi (5.5 bar) in accordance with ASTM F2023. For additional information regarding applicationspecific temperature and pressure ratings, refer to the Uponor PEX Piping Systems Design and Installation Manual.



Part name	Part no.	Codes	Standards	Listings
Accesorios en L para tinas de cobre sin plomo (LF) ProPEX	All	UPC IBC IRC IPC NPC of Canada UMC NSPC IMC	ASTM F877 NSF/ANSI/CAN 372 ASTM F1960 CSA B137.5 NSF/ANSI/CAN 61 NSF/ANSI 14	IAPMO-ES HUD MR 1269

Installation	Related applications
	PEX-a Plumbing Systems
Use compression fitting with a male national pipe thread (MNPT) adapter. Refer to the AquaPEX®	Radiant Heating and Cooling Systems
Professional Plumbing Installation Guide for additional information.	Permafrost Protection Systems
	Turf Conditioning Systems

Footnotes	Contact information		
	Uponor Inc.	Uponor Ltd.	
	5925 148th Street West	6510 Kennedy Road	
•	Apple Valley, MN 55124	Mississauga, ON L5T 2X4	
	T 800.321.4739	T 888.594.7726	
	F 952.891.2008	F 800.638.9517	