
## Extremos de tuberías rectos de cobre sin plomo (LF) ProPEX

## uponor

Job name:	Location:
Engineer:	Fecha de envío:
Contractor:	Presentada por:
Manufacturer's representative:	Approved by:

Technical data		
Material	Copper	
Subcomponent Material	LF Brass	
	Copper	
End type 1	ProPEX 1/2"	
End type 2	Copper 1/2"	
Temp/pressure ratings	73 °F (23 °C) at 160 psi (11 bar)	
	180 °F (82 °C) at 100 psi (6.9 bar)	
	200 °F (93 °C) at 80 psi (5.5 bar)	
Prop 65 label required?	Yes	



## Product information and application use

ProPEX® Lead-free (LF) Copper Straight Stub transitions Uponor PEX tubing to copper pipe for use in hot and cold domestic potable water systems and hydronic radiant heating and cooling systems. The transition fitting can be used for direct transition to copper sweat, copper press and roll-groove applications. The transition fitting is safe for direct burial in soil.

Note: Temperature and pressure ratings stated are hydrostatic ratings. For domestic hot-water (DHW) and DHW recirculation installations, operating conditions should not exceed 140°F (60°C) at 80 psi (5.5 bar) in accordance with ASTM F2023. For additional information regarding application-specific temperature and pressure ratings, refer to the Uponor PEX Piping Systems Design and Installation Manual.

Part name	Part no.	A [inch]	B [inch]	C [inch]	D [inch]	Weight per UOM [Ibs/UOM]
ProPEX LF Copper Straight Stub, 1/2" PEX LF Brass x 1/2" Copper (8")	LF2935050	8.3	0.709	7.592	0.77	0.22
ProPEX LF Copper Straight Stub, 1/2" PEX LF Brass x 1/2" Copper (15")	LF2945050	14.5	0.709	13.792	0.77	0.4

Part name	Part no.	Codes	Standards	Listings
Extremos de tuberías rectos de cobre sin plomo (LF) ProPEX	All	UPC IBC IRC IPC NPC of Canada UMC NSPC IMC	NSF/ANSI/CAN 372 ASTM F877 ASTM F1960 CSA B137.5 NSF/ANSI/CAN 61 NSF/ANSI 14	IAPMO-ES HUD MR 1269
In addition, the following parts have a	additional codes, standards, or listings:			
ProPEX LF Copper Straight Stub, 1/2"	LF2945050			

PEX LF Brass x 1/2" Copper (15")

Installation	Related applications		
	PEX-a Plumbing Systems		
Use the appropriate Uponor ProPEX Ring for the tubing (sold separately). Do not solder within 18 inches of the ProPEX fitting. Refer to the Uponor AquaPEX® Professional Plumbing Installation Guide or Uponor Hydronic Piping Design Assistance Manual for additional information.	Hydronic Radiant Heating and Cooling Systems		
	Snow Melting Systems		
	Turf Conditioning Systems		
	Permafrost Prevention Systems		
Footnotes	Contact information		
	Uponor Inc.	Uponor Ltd.	
	5005 4 40th Otes at M/s at		

	5925 148th Street West	6510 Kennedy Road
•	Apple Valley, MN 55124	Mississauga, ON L5T 2X4
	T 800.321.4739	T 888.594.7726
	F 952.891.2008	F 800.638.9517