

Adaptateurs en cuivre de type QS

Renseignements sur le projet


Nom du poste :	Lieu :
Ingénieur :	Date de soumission:
Entrepreneur :	Présentée par:
Représentant du fabricant :	Approuvé par :

Données techniques

Material	Brass
Temp/pressure ratings	73 °F (23 °C) at 160 psi (11 bar) 180 °F (82 °C) at 100 psi (6.9 bar) 200 °F (93 °C) at 80 psi (5.5 bar)
Prop 65 label required?	Yes

Informations sur le produit et utilisation de l'application

The Uponor QS-style Copper Adapters, combined with the appropriate QS-style Fitting Assembly, transition Wirsbo hePEXTM or Uponor AquaPEX® tubing to ½" and ¾" copper pipe in hydronic heating applications.



Nom de la pièce	Número de pièce	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	G [mm]	H [mm]	End Type 1	End Type 2
QS-style Copper Adapter, R20 x ¾" Copper	A4332075	13	6.99	15.54	31.08	35.53	26.99	15.54	13.49	ISO 228-G ¾"	Sweat ¾"
QS-style Copper Adapter, R25 x ¾" Copper (for ¾" and 5/8" tubing only)	A4332575	15.21	7.59	26.37	40.25	34.93	49.17	33.25	28.55	ISO 228-G 1"	Sweat ¾"
QS-style Copper Adapter, R20 x 1/2" Copper	A4332050	13.39	6.60	13	31.08	32.99	26.99	15.54	13.49	ISO 228-G ¾"	Sweat 1/2"

Nom de la pièce	Número de pièce	Weight per UOM [kg/UOM]
QS-style Copper Adapter, R20 x ¾" Copper	A4332075	0.064
QS-style Copper Adapter, R25 x ¾" Copper (for ¾" and 5/8" tubing only)	A4332575	0.136
QS-style Copper Adapter, R20 x 1/2" Copper	A4332050	0.064

Nom de la pièce	Número de pièce	Les codes	Normes	Annonces
Adaptateurs en cuivre de type QS	All	-	ASTM F877	-
In addition, the following parts have additional codes, standards, or listings:				
QS-style Copper Adapter, R20 x ¾" Copper	A4332075		R20: ISO 228-G ¾"	
QS-style Copper Adapter, R25 x ¾" Copper (for ¾" and 5/8" tubing only)	A4332575		R25: ISO 228-G 1"	
QS-style Copper Adapter, R20 x 1/2" Copper	A4332050		R20: ISO 228-G ¾"	

L'installation	Applications connexes
The corresponding compression fitting threads onto the R20 or R25 thread to adapt to copper. For additional information, refer to the Uponor Radiant Floor Heating Installation Handbook.	Radiant Heating and Cooling Systems Permafrost Protection Systems Turf Conditioning Systems

Notes de bas de page	Coordonnées de la personne-ressource
-	Uponor Inc. 5925 148th Street West Apple Valley, MN 55124 T 800.321.4739 F 952.891.2008 Uponor Ltd. 6510 Kennedy Road Mississauga, ON L5T 2X4 T 888.594.7726 F 800.638.9517