


Uponor Aqua PLUS manif end cap flat seal 3/4"FT

1001337

- Female thread



Application information Uponor Aqua PLUS manif end cap flat seal

Specification


- Watertight cabinets according to NT VVS 129
- For manifolds with c/c 50 mm
- For M7 cabinet sleeves
- Includes cabinet, splash covers and accesories kit with manifold clips
- Doors and frames (if needed) should be ordered separately
- RAL 9010
- Plastic manifolds for installation in Watertight cabinets
- Manifolds and accesories can be used separtelly
- In case of use of manifolds without cabinets, system watertightness according to NT VVS 129 cannot be guaranteed
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- PPM manifolds with bayonet threads

Application

- Watertight installations to prevent from damages in case of leakage
- All types of manifold installations

Uponor Aqua PLUS manif end cap flat seal 3/4"FT

1001337



Measurements

Cylindric_thread_G	3/4
Female thread Rp	3/4
LENGTH_L	11,5
Length (l1)	7
z1	4,5

Product code

Item no EAN	7321500016883
Item no GF	35001001337
Item no GTIN	07321500016883
Item no LVI	2048504
Item no NOBB	46815281
Item no NRF	5110224
Item no RSK	1228061
Item no VVS	045266406

Dimensions

Item Unit Height	11.5
Item Unit Length	30
Item Unit Weight	0,04
Item Unit Width	30
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905431632
Packaging GTIN PL3	06414905443802
Packaging Height PL1	30
Packaging Height PL3	175
Packaging Length PL1	115
Packaging Length PL3	205

Packaging Quantity PL1	10
Packaging Quantity PL3	250
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Volume PL1	0,00012765
Packaging Volume PL3	0,007354375
Packaging Weight PL1	0,45
Packaging Weight PL3	11,35
Packaging Width PL1	37
Packaging Width PL3	205

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com