


Uponor Minitec joint protection tube 9,9mm 300x2mm

1005269

- Made of PE-LD, with slit opening, for protection of UFH pipes up to 9.9 mm in areas of expansion joints.



Application information Uponor Minitec joint protection tube

Specification

- Minitec underfloor heating system for fixation on solid floors or specified insulation materials
- designed as sturdy pipe fixing system of minimum height, with integrated pipe laying channels for correct pipe laying distances
- for use with Uponor Minitec PE-Xa pipes 9.9 x 1.1 mm; allowing for straight and diagonal pipe laying
- EN 13501-1 fire classification: class E.
- standard flammability, building-material class B2, conforming to DIN 4102.
- Pipe spacing: Vz 5, 10, 15
- Net surface with overlapping nubs: 0,77m²

Application


- radiant underfloor heating and cooling
- very low construction height
- for use with qualified filler materials

Certification

- DIN CERTCO: 7F170-F

Uponor Minitec joint protection tube 9,9mm 300x2mm

1005269



Product code

Item no EAN	4021598024427
Item no GF	35001005269
Item no GTIN	04021598024427

Dimensions

Item Unit Height	3
Item Unit Length	300
Item Unit Weight	0,002
Item Unit Width	55
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905432394
Packaging GTIN PL3	06414905444250
Packaging GTIN PL4	06414905456048
Packaging Height PL1	50
Packaging Height PL3	800
Packaging Height PL4	3744
Packaging Length PL1	350
Packaging Length PL3	600
Packaging Length PL4	1200
Packaging Material (number) PL1	4
Packaging Material (number) PL3	20
Packaging Material PL1	Low density polyethylene
Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL1	LDPE
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	30
Packaging Quantity PL3	3600

Packaging Quantity PL4	21600
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00175
Packaging Volume PL3	0,288
Packaging Volume PL4	3,59424
Packaging Weight PL1	0,11
Packaging Weight PL3	13,3
Packaging Weight PL4	104,8
Packaging Width PL1	100
Packaging Width PL3	600
Packaging Width PL4	800

Technical data

Recycling Text Block PL1	Low density polyethylene
Recycling Text Block PL3	Corrugated fibreboard

Measurements

Wall thickness_s	2,0
------------------	-----

Documents

[Page with all documents](#) 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com