

## Uponor Sport double clip 25mm Steel

**1005284**

- pipes fixation for sprung floors
- galvanized steel



### Application information Uponor Sport double clip

#### Specification

- Sprung floor heating system, for installation between joists of sprung-floor constructions for sports.
- for installations with pipe c-c 100mm
- for pipe dim 25mm
- Sport tichelmann manifold
- Material: Uponor eval PE-Xa pipes + Uponor PPSU fittings

#### Application

- radiant underfloor heating
- for sports floors
- for connection of Uponor PE-Xa pipes 25x2.3mm with Uponor Q&E connection technology for sportsfloor
- for the use in sportsfloor UFH systems according to theTichelmann principle

#### Certification

- DIN CERTCO: 7F134-F, 7F465-F, 7F466-F

## Uponor Sport double clip 25mm Steel

1005284



### Product code

Item no EAN	4021598026599
Item no GF	35001005284
Item no GTIN	04021598026599

### Dimensions

Item Unit Height	60
Item Unit Length	995
Item Unit Weight	0,51
Item Unit Width	20
Item_UOM	pce

### Technical data

Recycling Text Block PL1	Corrugated fibreboard
--------------------------	-----------------------

### Packaging

Packaging GTIN PL1	06414905432431
Packaging GTIN PL4	06414905456062
Packaging Height PL1	165
Packaging Height PL4	1270
Packaging Length PL1	1000
Packaging Length PL4	1200
Packaging Material (number) PL1	20
Packaging Material PL1	Corrugated fibreboard
Packaging Material (short) PL1	PAP
Packaging Quantity PL1	1
Packaging Quantity PL4	250
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,03465
Packaging Volume PL4	1,2192
Packaging Weight PL1	0,515
Packaging Weight PL4	287,5

Packaging Width PL1	210
Packaging Width PL4	800

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)