


## Uponor Tecto nub panel EPS DES 30-2mm 14-17mm 1450x850mm

1005478

- EPS (HBCD free) thermal insulation panel



### Application information Uponor Tecto nub panel

#### Specification

- Tecto nub panel underfloor heating system, consists of nub panels for fixation of pipe dimensions 14-17mm.
- for pipe spacing in cm: 10, 15, 20, 25, 30
- EN 13501-1 fire classification: class E
- standard flammability, building-material class B2, conforming to DIN 4102
- EPS quality according EN 13163

#### Application


- radiant underfloor heating and cooling
- for use with cement- and anhydrite-based screeds

#### Certification

- DIN CERTCO: 7F010-F; 7F037-F

## Uponor Tecto nub panel EPS DES 30-2mm 14-17mm 1450x850mm

1005478



### Product code

Item no EAN	4021598022317
Item no GF	35001005478
Item no GTIN	04021598022317
Item no LVI	2023414
Item no RSK	2987942
Item no VVS	339262052

### Dimensions

Item Unit Height	55
Item Unit Length	1450
Item Unit Weight	1,9
Item Unit Width	850
Item_UOM	m <sup>2</sup>

### Measurements

LENGTH_L	1450
Z Measurement b	850
Z Measurement h	52
Z Measurement h1	30-2

### Packaging

Packaging GTIN PL1	06414905479283
Packaging GTIN PL4	06414905479290
Packaging Height PL1	360
Packaging Height PL4	2070
Packaging Length PL1	1510
Packaging Length PL4	1511
Packaging Quantity PL1	8.96
Packaging Quantity PL4	53.76
Packaging Type PL1	Base_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,472932
Packaging Volume PL4	2,7211599
Packaging Weight PL1	17,124
Packaging Weight PL4	102
Packaging Width PL1	870
Packaging Width PL4	870

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)