Product data sheet



GF Uponor Tecto expansion element EPS DES 30-2mm 150x1400mm

1005480

- Heat-/sound insulation for use with the expansion element foil in door or wall area.
- EPS (HBCD free) acc. to EN 13163



Application information GF Uponor Tecto expansion element EPS DES

Specification

- Tecto nub panel underfloor heating system, consists of nub panels for fixation of pipe dimensions 14-17mm.
- for pipe spacing in cm: 10, 15, 20, 25, 30
- EN 13501-1 fire classification: class E
- standard flammability, building-material class B2, conforming to DIN 4102
- EPS quality according EN 13163

Application

- radiant underfloor heating and cooling
- for use with cement- and anhydrite-based screeds

Certification

- DIN CERTCO: 7F010-F; 7F037-F

GF Uponor Tecto expansion element EPS DES 30-2mm 150x1400mm

1005480



Product code

Item no EAN	4021598022324
Item no GF	35001005480
Item no GTIN	04021598022324

Dimensions

Item Unit Height	25
Item Unit Length	1000
Item Unit Weight	0,11
Item Unit Width	15
Item_UOM	m

Packaging

Packaging GTIN PL1	06414905432653
Packaging GTIN PL4	06414905456222
Packaging Height PL1	200
Packaging Height PL4	1300
Packaging Length PL1	1440
Packaging Length PL4	1441
Packaging Quantity PL1	8.4
Packaging Quantity PL4	268.8
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,04608
Packaging Volume PL4	1,49864
Packaging Weight PL1	0,999
Packaging Weight PL4	32
Packaging Width PL1	160

Packaging Width PL4	800

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+