Product data sheet



GF Uponor MLC bending spring outside 14

1006639

- bending spring for Uponor Uni Pipe PLUS and MLC pipes.



Application information GF Uponor MLC bending spring outside

Specification

- Oxygen diffusion resistant multi-layer composite pipe(PE-RT - adhesive - longitudinally welded aluminium - adhesive - PE-RT)
- Fire classification E according to EN 13501-1.
- With pipe end caps as hygienic seal according EN 806.

Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

GF Uponor MLC bending spring outside 14

1006639



Product code

Item no EAN	4021598002944
Item no GF	35001006639
Item no GTIN	04021598002944

Dimensions

Item Unit Height	10
Item Unit Length	500
Item Unit Weight	0,722
Item Unit Width	10
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905433292
Packaging GTIN PL4	06414905456413
Packaging Height PL1	40
Packaging Height PL4	750
Packaging Length PL1	180
Packaging Length PL4	1200
Packaging Material (number) PL1	20
Packaging Material PL1	Corrugated fibreboard
Packaging Material (short) PL1	PAP
Packaging Quantity PL1	1
Packaging Quantity PL4	550
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,001296
Packaging Volume PL4	0,72

Packaging Weight PL1	2,225
Packaging Weight PL4	426,071
Packaging Width PL1	180
Packaging Width PL4	800

Technical data

Recycling Text Block PL1	Corrugated fibreboard

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+