


## Uponor Ecoflex wall seal PWP 140

**1007360**

- For concrete core hole or fibre cement pipe
- Part to seal the casing pipe
- Applicable for PWP (pressurized water)
- Watertight up to 0,3bar



### Application information Uponor Ecoflex wall seal PWP

#### Specification

- All accessories are corrosion resistant.

#### Application


- Ecoflex accessories are designed to complete the assortment in buried installation.

#### Certification

- Approvals should be checked by local responsible person

## Uponor Ecoflex wall seal PWP 140

1007360



### Measurements

Inner_diameter_di	145
LENGTH_L	110
Outer Diameter_do	200

### Product code

Item no EAN	4021598101029
Item no GF	35001007360
Item no GTIN	04021598101029
Item no NRF	8361407
Item no VVS	087916214

### Dimensions

Item Unit Height	200
Item Unit Length	110
Item Unit Weight	2,236
Item Unit Width	200
Item_UOM	pce

### Technical data

Recycling Text Block PL1	Corrugated fibreboard
--------------------------	-----------------------

### Packaging

Packaging GTIN PL1	06414900507905
Packaging Height PL1	110
Packaging Length PL1	205
Packaging Material (number) PL1	20
Packaging Material PL1	Corrugated fibreboard
Packaging Material (short) PL1	PAP
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,00462275

Packaging Weight PL1

5,009696

Packaging Width PL1

205

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)