


## Uponor Ecoflex additional insert 175

1007366

- For concrete core hole or fibre cement pipe
- Part to eliminate radial stress of the casing pipe
- Used with Uponor wall seal PWP



### Application information Uponor Ecoflex additional insert

#### Specification

- All accessories are corrosion resistant.

#### Application


- Ecoflex accessories are designed to complete the assortment in buried installation.

#### Certification

- Approvals should be checked by local responsible person

## Uponor Ecoflex additional insert 175

1007366



### Measurements

Inner_diameter_di	175
LENGTH_L	65
Outer Diameter_do	250

### Product code

Item no EAN	4021598100879
Item no GF	35001007366
Item no GTIN	04021598100879
Item no NRF	8361412
Item no VVS	087916117

### Dimensions

Item Unit Height	250
Item Unit Length	65
Item Unit Weight	2,25
Item Unit Width	250
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414905633289
Packaging Height PL1	115
Packaging Length PL1	260
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,0076245
Packaging Weight PL1	2,239
Packaging Width PL1	255

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)