


Uponor Ecoflex fibre cement pipe PWP 175

1007371

- Embed in a brick wall or concrete wall
- Alternative to water-proof concrete core hole
- Applicable for Uponor wall seal PWP (pressurized water)
- "Dimension" = used for jacket pipe diameter



Application information Uponor Ecoflex fibre cement pipe PWP

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed to complete the assortment in buried installation.

Certification

- Approvals should be checked by local responsible person

Uponor Ecoflex fibre cement pipe PWP 175

1007371



Measurements

| | |
|-------------------|-----|
| Inner_diameter_di | 250 |
| LENGTH_L | 400 |
| Outer Diameter_do | 300 |

Product code

| | |
|--------------|----------------|
| Item no EAN | 4021598100923 |
| Item no GF | 35001007371 |
| Item no GTIN | 04021598100923 |
| Item no VVS | 087913817 |

Dimensions

| | |
|------------------|--------|
| Item Unit Height | 294 |
| Item Unit Length | 402 |
| Item Unit Weight | 16,254 |
| Item Unit Width | 294 |
| Item_UOM | pce |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414905252473 |
| Packaging GTIN PL4 | 06414900564489 |
| Packaging Height PL1 | 294 |
| Packaging Height PL4 | 950 |
| Packaging Length PL1 | 400 |
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 1 |
| Packaging Quantity PL4 | 24 |
| Packaging Type PL1 | PIECE |
| Packaging Type PL4 | PALLET |
| Packaging Volume PL1 | 0,0345744 |
| Packaging Volume PL4 | 0,912 |

| | |
|----------------------|---------|
| Packaging Weight PL1 | 16,254 |
| Packaging Weight PL4 | 415,096 |
| Packaging Width PL1 | 294 |
| Packaging Width PL4 | 800 |

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com