


Uponor Ecoflex fibre cement pipe PWP 200

1007372

- Embed in a brick wall or concrete wall
- Alternative to water-proof concrete core hole
- Applicable for Uponor wall seal PWP (pressurized water)
- "Dimension" = used for jacket pipe diameter



Application information Uponor Ecoflex fibre cement pipe PWP

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed to complete the assortment in buried installation.

Certification

- Approvals should be checked by local responsible person

Uponor Ecoflex fibre cement pipe PWP 200

1007372



Measurements

Inner_diameter_di	300
LENGTH_L	400
Outer Diameter_do	350

Product code

Item no EAN	4021598100930
Item no GF	35001007372
Item no GTIN	04021598100930
Item no VVS	087913820

Dimensions

Item Unit Height	350
Item Unit Length	400
Item Unit Weight	19,889
Item Unit Width	350
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900564526
Packaging GTIN PL4	06414900564519
Packaging Height PL1	350
Packaging Height PL4	950
Packaging Length PL1	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	12
Packaging Type PL1	PIECE
Packaging Type PL4	PALLET
Packaging Volume PL1	0,049
Packaging Volume PL4	0,912

Packaging Weight PL1	19,889
Packaging Weight PL4	263,668
Packaging Width PL1	350
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com