


## Uponor Radi Pipe natural in conduit red 16x2,0 25/20 50m

1008388

- Pipes manufactured from peroxide cross-linked polyethylene (PE-Xa) acc. EN ISO 15875
- EVOH (ethylene vinyl alcohol) layer for oxygen diffusion resistance as per DIN 4726
- Application class 5 - high temperature radiators
- Fire classification E according to DIN EN 13501-1.
- Conduits manufactured from high density polyethylene
- Heating: The permanent operating temperature ranges up to 90°C. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.
- Leakage free installations with possibility to exchange pipes in case of damage
- Operating pressure 6 bar
- Coils



### Application information Uponor Radi Pipe natural in conduit red

#### Specification


- Pipes manufactured from peroxide cross-linked polyethylene (PE-Xa) acc. EN ISO 15875
- EVOH (ethylene vinyl alcohol) layer for oxygen diffusion resistance as per DIN 4726
- Application class 5 - high temperature radiators
- Fire classification E according to DIN EN 13501-1.

#### Application

- Heating: The permanent operating temperature ranges up to 90°C. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

## Uponor Radi Pipe natural in conduit red 16x2,0 25/20 50m

1008388



### Measurements

Inner_diameter_di1	20
Outer Diameter_do	16
Outer Diameter_do1	25
Wall thickness_s	2

### Product code

Item no EAN	7321500033385
Item no GF	35001008388
Item no GTIN	07321500033385
Item no VVS	087232016

### Dimensions

Item Unit Height	25
Item Unit Length	1000
Item Unit Weight	0,156
Item Unit Width	25
Item_UOM	m

### Packaging

Packaging GTIN PL1	06414905252565
Packaging GTIN PL4	06414905252572
Packaging Height PL1	100
Packaging Height PL4	950
Packaging Length PL1	780
Packaging Length PL4	1200
Packaging Quantity PL1	50
Packaging Quantity PL4	550
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,06084

Packaging Volume PL4	0,912
Packaging Weight PL1	7,878
Packaging Weight PL4	111,658
Packaging Width PL1	780
Packaging Width PL4	800

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)