
Product data sheet




GF Uponor Q&E adapter PL W MT 32-G1"

1008730

- External thread according to DIN EN ISO 228-1





Application information GF Uponor Q&E adapter PL W MT

Specification


- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E adapter PL W MT 32-G1"

1008730





Measurements

Cylindric_thread_G	1
LENGTH_L	56
Length (l1)	10
Length (l2)	34
z1	12

Product code

Item no EAN	7331541174503
Item no GF	35001009730
Item no GTIN	07331541174503
Item Replacement 1	1145656

Dimensions

Item Unit Height	42
Item Unit Length	56
Item Unit Weight	0,156
Item Unit Width	42
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905255191
Packaging GTIN PL3	06414905255207
Packaging GTIN PL4	06414905255214
Packaging Height PL1	80
Packaging Height PL3	185
Packaging Height PL4	570
Packaging Length PL1	65
Packaging Length PL3	185

Packaging Length PL4	1120
Packaging Quantity PL1	1
Packaging Quantity PL3	20
Packaging Quantity PL4	1920
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0001924
Packaging Volume PL3	0,0031487
Packaging Volume PL4	0,4775232
Packaging Weight PL1	0,157
Packaging Weight PL3	3,2
Packaging Weight PL4	317,2
Packaging Width PL1	37
Packaging Width PL3	92
Packaging Width PL4	748

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+