


Uponor Radi Pipe natural PN6 50x4,6 50m

1008980

- Operating pressure 6 bar
- Coil



Application information Uponor Radi Pipe natural PN6

Specification


- Pipes manufactured from peroxide cross-linked polyethylene (PE-Xa) acc. EN ISO 15875
- EVOH (ethylene vinyl alcohol) layer for oxygen diffusion resistance as per DIN 4726
- Application class 5 - high temperature radiators
- Fire classification E according to DIN EN 13501-1.

Application

- Heating: The permanent operating temperature ranges up to 90°C. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

Uponor Radi Pipe natural PN6 50x4,6 50m

1008980



Product code

| | |
|--------------|----------------|
| Item no EAN | 7321500018481 |
| Item no GF | 35001008980 |
| Item no GTIN | 07321500018481 |
| Item no LVI | 2012152 |
| Item no NOBB | 41947144 |
| Item no NRF | 8362319 |
| Item no RSK | 2418024 |
| Item no VVS | 087230350 |

Dimensions

| | |
|------------------|-------|
| Item Unit Height | 50 |
| Item Unit Length | 1000 |
| Item Unit Weight | 0,704 |
| Item Unit Width | 50 |
| Item_UOM | m |

Measurements

| | |
|-------------------|-----|
| Outer Diameter_do | 50 |
| Wall thickness_s | 4,6 |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414905255849 |
| Packaging GTIN PL4 | 06414905255856 |
| Packaging Height PL1 | 190 |
| Packaging Height PL4 | 1474 |
| Packaging Length PL1 | 1250 |
| Packaging Length PL4 | 1250 |
| Packaging Quantity PL1 | 50 |
| Packaging Quantity PL4 | 350 |
| Packaging Type PL1 | Coil |

| | |
|----------------------|----------|
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,296875 |
| Packaging Volume PL4 | 2,303125 |
| Packaging Weight PL1 | 35,2 |
| Packaging Weight PL4 | 271,4 |
| Packaging Width PL1 | 1250 |
| Packaging Width PL4 | 1250 |

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com