
# Product data sheet



# GF Uponor Radi Pipe natural PN6 75x6,8 50m

## 1008982

- Operating pressure 6 bar
- Coil




## Application information GF Uponor Radi Pipe natural PN6

### Specification


- Pipes manufactured from peroxide cross-linked polyethylene (PE-Xa) acc. EN ISO 15875
- EVOH (ethylene vinyl alcohol) layer for oxygen diffusion resistance as per DIN 4726
- Application class 5 - high temperature radiators
- Fire classification E according to DIN EN 13501-1.

### Application

- Heating: The permanent operating temperature ranges up to 90°C. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

# GF Uponor Radi Pipe natural PN6 75x6,8 50m

## 1008982




### Product code

| | |
|---|---|
| Item no EAN | 7321500018504 |
| Item no GF | 35001008982 |
| Item no GTIN | 07321500018504 |
| Item no LVI | 2012175 |
| Item no NOBB | 41947163 |
| Item no NRF | 8362328 |
| Item no RSK | 2418026 |
| Item no VVS | 087230375 |

### Dimensions

| | |
|---|---|
| Item Unit Height | 75 |
| Item Unit Length | 1000 |
| Item Unit Weight | 1,486 |
| Item Unit Width | 75 |
| Item_UOM | m |

### Measurements

| | |
|---|---|
| Outer Diameter_do | 75 |
| Wall thickness_s | 6,9 |

### Packaging

| | |
|---|---|
| Packaging GTIN PL1 | 06414905255870 |
| Packaging GTIN PL4 | 06414905476589 |
| Packaging Height PL1 | 2150 |
| Packaging Height PL4 | 1600 |
| Packaging Length PL1 | 2150 |
| Packaging Length PL4 | 1150 |
| Packaging Quantity PL1 | 50 |

| | |
|---|---|
| Packaging Quantity PL4 | 50 |
| Packaging Type PL1 | Coil |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 1,849 |
| Packaging Volume PL4 | 2,116 |
| Packaging Weight PL1 | 74,3 |
| Packaging Weight PL4 | 450 |
| Packaging Width PL1 | 400 |
| Packaging Width PL4 | 1150 |

## Documents

Page with all documents

# Excellence in Flow

Visit our webpage to get in contact with your local specialist:
**www.georgfischer.com/locations**



**Uponor Corporation**

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+