
# Product data sheet



# GF Uponor Vario PLUS distance

## 1009215

- Manifold single segments for mixed loop connection from top and bottom




## Application information GF Uponor Vario PLUS distance

### Specification

- Modular fibre glass reinforced polyamide manifold with 1,3,4,6 loops for connection with basic kit
- Connection right or left with flat sealing or connection from below with optional elbowset
- Supply with lockshield (LS) valve for balancing with adjusting ring or supply with Flowmeter (FM) for balancing
- Shut-off and flow view
- Adjusting ring for balancing without tools
- Prepared places for room name labels
- Return with valves and caps, prepared for actuators
- Loop connection G3/4" eurocone
- Loop pitch 50 mm
- Header pitch 225 mm

Actuator:
- NC (normally closed) = closes without power

### Application


- for underfloor heating and cooling
- combineable with actuators MT 30x1,5

### Certification

- CE

# GF Uponor Vario PLUS distance

## 1009215




### Product code

| | |
|---|---|
| Item no EAN | 4016203841834 |
| Item no GF | 35001009215 |
| Item no GTIN | 04016203841834 |
| Item no LVI | 2025831 |
| Item no NOBB | 41948022 |
| Item no NRF | 8362667 |
| Item no RSK | 2418977 |
| Item no VVS | 087604168 |

### Dimensions

| | |
|---|---|
| Item Unit Height | 5 |
| Item Unit Length | 50 |
| Item Unit Weight | 0,046 |
| Item Unit Width | 15 |
| Item_UOM | pce |

### Measurements

| | |
|---|---|
| LENGTH_L | 220 |
| Z Measurement h | 104 |
| Z Measurement w1 | 25 |

### Packaging

| | |
|---|---|
| Packaging GTIN PL1 | 06414900622226 |
| Packaging GTIN PL3 | 06414900385176 |
| Packaging GTIN PL4 | 06414905655946 |
| Packaging Height PL1 | 20 |
| Packaging Height PL3 | 55 |
| Packaging Length PL1 | 50 |

| | |
|---|---|
| Packaging Length PL3 | 155 |
| Packaging Material (number) PL1 | 04 |
| Packaging Material (number) PL3 | 21 |
| Packaging Material PL1 | plastic film / film plastico |
| Packaging Material PL3 | non-corrugated cardboard / cartone non corrugato |
| Packaging Material (short) PL1 | PELD |
| Packaging Material (short) PL3 | PAP_OTHER |
| Packaging Quantity PL1 | 1 |
| Packaging Quantity PL3 | 40 |
| Packaging Type PL1 | Pouch |
| Packaging Type PL3 | Box |
| Packaging Volume PL1 | 0,00002 |
| Packaging Volume PL3 | 0,001321375 |
| Packaging Weight PL1 | 0,047 |
| Packaging Weight PL3 | 1,923 |
| Packaging Width PL1 | 20 |
| Packaging Width PL3 | 155 |

## Technical data

| | |
|---|---|
| Recycling Text Block PL1 | plastic film / film plastico |
| Recycling Text Block PL3 | non-corrugated cardboard / cartone non corrugato |

## Documents

Page with all documents

# Excellence in Flow

Visit our webpage to get in contact with your local specialist:
**www.georgfischer.com/locations**



**Uponor Corporation**

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+