


## Uponor Teck conduit black 35/29 50m

1012869

- corrugated conduit
- colour: black



### Application information Uponor Teck conduit black

#### Specification


- Corrugated, made of high density polyethylene (HDPE)
- Fire classification E according to EN 13501-1
- Supplied in coils.

#### Application

- Used for pipe in pipe (PIP) installations to reduce the risk for water damages and allow for flexible media pipe to be replaced

## Uponor Teck conduit black 35/29 50m

1012869



### Measurements

Inner_diameter_di	29
Outer Diameter_do	35

### Product code

Item no EAN	4021598018280
Item no GF	35001012869
Item no GTIN	04021598018280

### Dimensions

Item Unit Height	35
Item Unit Length	1000
Item Unit Weight	0,1
Item Unit Width	35
Item_UOM	m

### Packaging

Packaging GTIN PL1	06414905434886
Packaging GTIN PL4	06414905488438
Packaging Height PL1	290
Packaging Height PL4	2150
Packaging Length PL1	560
Packaging Length PL4	1130
Packaging Quantity PL1	50
Packaging Quantity PL4	1400
Packaging Type PL1	Coil
Packaging Type PL4	Pallet
Packaging Volume PL1	0,090944
Packaging Volume PL4	2,745335
Packaging Weight PL1	5
Packaging Weight PL4	152

Packaging Width PL1	560
Packaging Width PL4	1130

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com