


Uponor Teck conduit black 35/29 50m

1012869

- corrugated conduit
- colour: black



Application information Uponor Teck conduit black

Specification


- Corrugated, made of high density polyethylene (HDPE)
- Fire classification E according to EN 13501-1
- Supplied in coils.

Application

- Used for pipe in pipe (PIP) installations to reduce the risk for water damages and allow for flexible media pipe to be replaced

Uponor Teck conduit black 35/29 50m

1012869



Measurements

| | |
|-------------------|----|
| Inner_diameter_di | 29 |
| Outer Diameter_do | 35 |

Product code

| | |
|--------------|----------------|
| Item no EAN | 4021598018280 |
| Item no GF | 35001012869 |
| Item no GTIN | 04021598018280 |

Dimensions

| | |
|------------------|------|
| Item Unit Height | 35 |
| Item Unit Length | 1000 |
| Item Unit Weight | 0,1 |
| Item Unit Width | 35 |
| Item_UOM | m |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414905434886 |
| Packaging GTIN PL4 | 06414905488438 |
| Packaging Height PL1 | 290 |
| Packaging Height PL4 | 2150 |
| Packaging Length PL1 | 560 |
| Packaging Length PL4 | 1130 |
| Packaging Quantity PL1 | 50 |
| Packaging Quantity PL4 | 1400 |
| Packaging Type PL1 | Coil |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,090944 |
| Packaging Volume PL4 | 2,745335 |
| Packaging Weight PL1 | 5 |
| Packaging Weight PL4 | 152 |

| | |
|---------------------|------|
| Packaging Width PL1 | 560 |
| Packaging Width PL4 | 1130 |

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com