


Uponor MLC white S 40x4,0 5m

1013446

- bar
- High dimensional stability, low expansion rates
- Increased flexibility
- 100% oxygen barrier



Application information Uponor MLC white S

Specification

- Oxygen diffusion resistant multi-layer composite pipe (PE-RT - adhesive - longitudinally welded aluminium - adhesive - PE-RT)
- Fire classification E according to EN 13501-1.
- With pipe end caps as hygienic seal according to EN 806.

Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

Certification

- Approvals by local OM.
- E.g.
- DVGW
 - AENOR

Uponor MLC white S 40x4,0 5m

1013446



Product code

Item no EAN	4021598005570
Item no GF	35001013446
Item no GTIN	04021598005570
Item no LVI	1720107
Item no NOBB	41940038
Item no NRF	5071343
Item no RSK	1873321
Item no VVS	087306140

Dimensions

Item Unit Height	40
Item Unit Length	1000
Item Unit Weight	0,508
Item Unit Width	40
Item_UOM	m

Measurements

Outer Diameter_do	40
Wall thickness_s	4

Packaging

Packaging GTIN PL1	06414905256914
Packaging GTIN PL2	06414905256921
Packaging GTIN PL4	06414905256938
Packaging Height PL1	40
Packaging Height PL2	110
Packaging Height PL4	725
Packaging Length PL1	5000
Packaging Length PL2	5070
Packaging Length PL4	5080

Packaging Quantity PL1	5
Packaging Quantity PL2	20
Packaging Quantity PL4	1020
Packaging Type PL1	Bar
Packaging Type PL2	Cover_Pipe
Packaging Type PL4	Wooden_Cage
Packaging Volume PL1	0,008
Packaging Volume PL2	0,061347
Packaging Volume PL4	4,23545
Packaging Weight PL1	2,54
Packaging Weight PL2	16,18
Packaging Weight PL4	860
Packaging Width PL1	40
Packaging Width PL2	110
Packaging Width PL4	1150

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

E
communications@georgfischer.
com