
Product data sheet




GF Uponor S-Press PLUS pressure testing plug 25

1013762

- Reusable plug for pressure testing multilayer pipes
- Unscrew after pressure test and cut pipe to plug length +1.5 mm





Application information GF Uponor S-Press PLUS pressure testing plug

Specification

- Unique press indicator
- Fast 3-step installation (press without bevel)
- Innovative QR code for immediate digital access
- Colour code
- Fixed press sleeve with insprection window
- Precise jaw fixation
- Fast diameter recognition
- Accurate test safety function
- 100% backward compatible with existing Uponor components
- Flow rate optimized fitting body


Application


- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor S-Press PLUS pressure testing plug 25

1013762





Measurements

Cylindric_thread_G	1/2
LENGTH_L	57
Length (l1)	14
Length (l2)	35
z1	8

Product code

Item no EAN	4021598002395
Item no GF	35001013762
Item no GTIN	04021598002395
Item no LVI	1725995
Item no NRF	5071605
Item no RSK	1873398

Dimensions

Item Unit Height	28
Item Unit Length	60
Item Unit Weight	0,099
Item Unit Width	28
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905257805
Packaging GTIN PL4	06414905257843
Packaging Height PL1	89
Packaging Height PL4	580
Packaging Length PL1	176
Packaging Length PL4	1200

Packaging Quantity PL1	10
Packaging Quantity PL4	3840
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,001049488
Packaging Volume PL4	0,5568
Packaging Weight PL1	1,027
Packaging Weight PL4	396,672
Packaging Width PL1	67
Packaging Width PL4	800

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+