


## Uponor Smart Radi adapter 15CU-3/4" Euro

1013830

- With 3/4FT eurocone, elastically sealing, for the connection of the coated copper pipe 15 x 1 mm of the Uponor press connection elbow, Uponor press connection tee to the tap battery, radiator or Uponor radiator connection adapter with 3/4FT eurocone.
- Coated brass union nut, brass clamp ring blank and sealing cone made of EPDM.
- Ribbed union nut with wrench size 27.



### Application information Uponor Smart Radi adapter

#### Specification

- Suitable for coated copper pipes (15 x 1 mm), MLCP 16 x 2 mm, PE-Xa and MLC connection lines
- Components made of tin-plated brass, coated brass, coated copper, polystyrene, and PP
- Compatible with S-Press, Q&E, clamp compression adapters and Eurocone interfaces

If not differently mentioned:


- Fire-rated cover plates (e.g., EN 13501-1 classes B2 or E depending on model)
- Q&E rings must be ordered separately if not different mentioned

#### Application

- Connecting radiators to Uponor MLCP or Uni Pipe PLUS heating circuits
- Providing stable, aligned flow and return lines using dedicated adapters and connection boxes
- Interfacing with radiator valves via system-specific compression sets (Danfoss, Heimeier, Oventrop)
- Protecting and guiding pipes at wall or floor penetrations with cover plates and protective sleeves

## Uponor Smart Radi adapter 15CU-3/4" Euro

1013830



### Measurements

Cylindric\_thread\_G 0,75

LENGTH\_L 21

### Product code

Item no EAN 4021598010680

Item no GF 35001013830

Item no GTIN 04021598010680

### Dimensions

Item Unit Height 27

Item Unit Length 30

Item Unit Weight 0,046

Item Unit Width 30

Item\_UOM pce

### Packaging

Packaging GTIN PL1 06414905435289

Packaging GTIN PL3 06414905445288

Packaging GTIN PL4 06414905488803

Packaging Height PL1 40

Packaging Height PL3 125

Packaging Height PL4 800

Packaging Length PL1 330

Packaging Length PL3 160

Packaging Length PL4 1200

Packaging Quantity PL1 10

Packaging Quantity PL3 80

Packaging Quantity PL4 7680

Packaging Type PL1 Plastic\_Bag

Packaging Type PL3 Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,001188
Packaging Volume PL3	0,0066
Packaging Volume PL4	0,768
Packaging Weight PL1	0,465
Packaging Weight PL3	3,8
Packaging Weight PL4	381,813
Packaging Width PL1	90
Packaging Width PL3	330
Packaging Width PL4	800

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)