


Uponor Smart Radi compr. connection set Danfoss 16-G1/2"MT

1013970

- Made of coated brass
- pressure screw with male thread, with inner sleeve and clamp ring, fit to Danfoss radiator valves with female thread
- O-Ring, blue, made of EPDM.



Application information Uponor Smart Radi compr. connection set Danfoss

Specification

- Suitable for coated copper pipes (15 × 1 mm), MLCP 16 × 2 mm, PE-Xa and MLC connection lines
- Components made of tin-plated brass, coated brass, coated copper, polystyrene, and PP
- Compatible with S-Press, Q&E, clamp compression adapters and Eurocone interfaces

If not differently mentioned:


- Fire-rated cover plates (e.g., EN 13501-1 classes B2 or E depending on model)
- Q&E rings must be ordered separately if not different mentioned

Application

- Connecting radiators to Uponor MLCP or Uni Pipe PLUS heating circuits
- Providing stable, aligned flow and return lines using dedicated adapters and connection boxes
- Interfacing with radiator valves via system-specific compression sets (Danfoss, Heimeier, Oventrop)
- Protecting and guiding pipes at wall or floor penetrations with cover plates and protective sleeves

Uponor Smart Radi compr. connection set Danfoss 16-G1/2"MT

1013970



Measurements

Cylindric_thread_G	1/2
LENGTH_L	37
Length (l1)	29,2
z1	7,8

Product code

Item no EAN	4021598300439
Item no GF	35001013970
Item no GTIN	04021598300439
Item no VVS	045468189

Dimensions

Item Unit Height	29
Item Unit Length	39
Item Unit Weight	0,039
Item Unit Width	29
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905258581
Packaging GTIN PL3	06414905258598
Packaging GTIN PL4	06414905258604
Packaging Height PL1	33
Packaging Height PL3	89
Packaging Height PL4	570
Packaging Length PL1	33
Packaging Length PL3	176
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	20

Packaging Quantity PL4	3840
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000035937
Packaging Volume PL3	0,001049488
Packaging Volume PL4	0,5472
Packaging Weight PL1	0,05
Packaging Weight PL3	0,87
Packaging Weight PL4	192,04
Packaging Width PL1	33
Packaging Width PL3	67
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com