


## Uponor Uni-C manifold male female thread S 1"MT/FT 3x1/2"MT

1014111

- Made of tin-plated brass
- with connection 1" for male thread or female thread, outlets 1/2" male thread fits to Uponor compression adapter.



### Application information Uponor Uni-C manifold male female thread S

#### Specification


- Modular brass manifold system with male threaded connections
- Components made of tin-plated or plated brass; brackets in galvanised steel
- Compatible with 1/2" Uni-C compression adapters for MLC and Uni Pipe PLUS pipes
- Thread standards according to EN ISO 228-1 / DIN
- System includes manifolds, valves, end caps, plugs, brackets, couplings, and adapters

#### Application

- Distribution and connection of tap water
- Manifold-based installations with male threaded connections
- Adaptation between Uponor pipe systems (Uni Pipe PLUS, MLC) and Uponor 1/2" threaded components
- Use in residential and light commercial installations
- Flexible system extension via manifolds, adapters, and accessories

## Uponor Uni-C manifold male female thread S 1"MT/FT 3x1/2"MT

1014111



### Measurements

Cylindric_thread_G	1
Cylindric_thread_G1	1
Cylindric thread G2	1/2
LENGTH_L	170,5
Length (l1)	41,5
Length (l2)	29
Length (l3)	30,7
Z Measurement b	50
z1	26
Z2	14
Z3	20,8

### Product code

Item no EAN	4021598701106
Item no GF	35001014111
Item no GTIN	04021598701106
Item no VVS	045466003

### Dimensions

Item Unit Height	39
Item Unit Length	169
Item Unit Weight	0,465
Item Unit Width	50
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414905258734
Packaging GTIN PL4	06414905258758
Packaging Height PL1	40
Packaging Height PL4	540

Packaging Length PL1	175
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	854
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00035
Packaging Volume PL4	0,5184
Packaging Weight PL1	0,487
Packaging Weight PL4	416
Packaging Width PL1	50
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com