

## Uponor S-Press manual tool insert 16

**1015777**

- For inserting into the manual pressing tool



### Application information Uponor S-Press manual tool insert

#### Specification

- Manual and battery-powered pressing tools
- Interchangeable jaws and pressing chains
- Suitable for small to large pipe diameters
- Controlled pressing force and cycle time

#### Application

- Pressing of MLC press fittings
- Battery-powered or manual pressing on site
- Large-diameter pressing using chains and base units
- Pressure testing and commissioning support

## Uponor S-Press manual tool insert 16

1015777



### Product code

Item no EAN	4021598000179
Item no GF	35001015777
Item no GTIN	04021598000179
Item no LVI	1725933
Item no NOBB	41942373
Item no NRF	5071863
Item no RSK	1873356
Item no VVS	045498216

### Dimensions

Item Unit Height	16
Item Unit Length	30
Item Unit Weight	0,072
Item Unit Width	30
Item_UOM	pce

### Technical data

Recycling Text Block PL1	Low density polyethylene
Recycling Text Block PL3	Corrugated fibreboard

### Packaging

Packaging GTIN PL1	06414905436996
Packaging GTIN PL3	06414905446537
Packaging GTIN PL4	06414905490516
Packaging Height PL1	20
Packaging Height PL3	140
Packaging Height PL4	284
Packaging Length PL1	55
Packaging Length PL3	320
Packaging Length PL4	1200

Packaging Material (number) PL1	4
Packaging Material (number) PL3	20
Packaging Material PL1	Low density polyethylene
Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL1	LDPE
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	1
Packaging Quantity PL3	50
Packaging Quantity PL4	400
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000055
Packaging Volume PL3	0,010304
Packaging Volume PL4	0,27264
Packaging Weight PL1	0,073
Packaging Weight PL3	3,95
Packaging Weight PL4	56,6
Packaging Width PL1	50
Packaging Width PL3	230
Packaging Width PL4	800

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)