


## Uponor Ecoflex wall sleeve set NPW 68+90

1018267

- For concrete-cast and brick walls
- Applicable for NWP = no pressurized water area
- Contain PE pipe and shrink sleeve



### Application information Uponor Ecoflex wall sleeve set NPW

#### Specification

- All accessories are corrosion resistant.

#### Application


- Ecoflex accessories are designed to complete the assortment in buried installation.

#### Certification

- Approvals should be checked by local responsible person

## Uponor Ecoflex wall sleeve set NPW 68+90

1018267



### Measurements

Inner_diameter_di	95
LENGTH_L	550
Outer Diameter_do	110

### Product code

Item no EAN	6414905254125
Item no GF	35001018267
Item no GTIN	06414905254125
Item no LVI	3010610
Item no NRF	8360921
Item no RSK	2282156
Item no VVS	087913090

### Dimensions

Item Unit Height	110
Item Unit Length	550
Item Unit Weight	1
Item Unit Width	110
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414905259366
Packaging Height PL1	110
Packaging Length PL1	550
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,006655
Packaging Weight PL1	1,01
Packaging Width PL1	110

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com