


Uponor Ecoflex wall sleeve set NPW 68+90

1018267

- For concrete-cast and brick walls
- Applicable for NWP = no pressurized water area
- Contain PE pipe and shrink sleeve



Application information Uponor Ecoflex wall sleeve set NPW

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed to complete the assortment in buried installation.

Certification

- Approvals should be checked by local responsible person

Uponor Ecoflex wall sleeve set NPW 68+90

1018267



Measurements

Inner_diameter_di	95
LENGTH_L	550
Outer Diameter_do	110

Product code

Item no EAN	6414905254125
Item no GF	35001018267
Item no GTIN	06414905254125
Item no LVI	3010610
Item no NRF	8360921
Item no RSK	2282156
Item no VVS	087913090

Dimensions

Item Unit Height	110
Item Unit Length	550
Item Unit Weight	1
Item Unit Width	110
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905259366
Packaging Height PL1	110
Packaging Length PL1	550
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,006655
Packaging Weight PL1	1,01
Packaging Width PL1	110

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com