


## Uponor Ecoflex wall sleeve set NPW 175+200

**1018268**

- For concrete-cast and brick walls
- Applicable for NWP = no pressurized water area
- Contain PE pipe and shrink sleeve



### Application information Uponor Ecoflex wall sleeve set NPW

#### Specification

- All accessories are corrosion resistant.

#### Application


- Ecoflex accessories are designed to complete the assortment in buried installation.

#### Certification

- Approvals should be checked by local responsible person

## Uponor Ecoflex wall sleeve set NPW 175+200

1018268



### Measurements

Inner_diameter_di	218
LENGTH_L	550
Outer Diameter_do	250

### Product code

Item no EAN	6414905254033
Item no GF	35001018268
Item no GTIN	06414905254033
Item no LVI	3010620
Item no NRF	8360922
Item no RSK	2282158
Item no VVS	087913248

### Dimensions

Item Unit Height	250
Item Unit Length	550
Item Unit Weight	1,665
Item Unit Width	250
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900507844
Packaging Height PL1	250
Packaging Length PL1	550
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,034375
Packaging Weight PL1	1,697
Packaging Width PL1	250

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)