


Uponor Ecoflex wall sleeve set NPW 140

1018269

- For concrete-cast and brick walls
- Applicable for NWP = no pressurized water area
- Contain PE pipe and shrink sleeve



Application information Uponor Ecoflex wall sleeve set NPW

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed to complete the assortment in buried installation.

Certification

- Approvals should be checked by local responsible person

Uponor Ecoflex wall sleeve set NPW 140

1018269



Measurements

Inner_diameter_di	175
LENGTH_L	550
Outer Diameter_do	200

Product code

Item no EAN	6414905254071
Item no GF	35001018269
Item no GTIN	06414905254071
Item no LVI	3010614
Item no NRF	8360923
Item no RSK	2282157
Item no VVS	087913172

Dimensions

Item Unit Height	200
Item Unit Length	550
Item Unit Weight	1,615
Item Unit Width	200
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905259397
Packaging Height PL1	203
Packaging Length PL1	550
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,02266495
Packaging Weight PL1	1,623
Packaging Width PL1	203

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com