


## Uponor Wipex coupling PN6 40x3,7-G1 1/4

**1018330**

- Connection of PE-Xa or PE pipe
- 6 bar, SDR 11
- Cylindric thread G" for O-ring sealing
- DR = dezincification resistance brass



### Application information Uponor Wipex coupling PN6

#### Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

#### Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

#### Certification

- Approvals should be checked by local responsible person

## Uponor Wipex coupling PN6 40x3,7-G1 1/4

1018330



### Measurements

|                    |       |
|--------------------|-------|
| Cylindric_thread_G | 1 1/4 |
| LENGTH_L           | 61    |
| Length (l1)        | 16    |
| Length (l2)        | 30    |
| Wall thickness_s   | 3,7   |
| z1                 | 15    |

### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 7331541100021  |
| Item no GF   | 35001018330    |
| Item no GTIN | 07331541100021 |
| Item no LVI  | 1932040        |
| Item no NOBB | 41947216       |
| Item no NRF  | 8362391        |
| Item no RSK  | 2410666        |
| Item no VVS  | 087883040      |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 64    |
| Item Unit Length | 66    |
| Item Unit Weight | 0,436 |
| Item Unit Width  | 49    |
| Item_UOM         | pce   |

### Packaging

|                      |                |
|----------------------|----------------|
| Packaging GTIN PL1   | 06414905259663 |
| Packaging GTIN PL3   | 06414905259670 |
| Packaging GTIN PL4   | 06414905259687 |
| Packaging Height PL1 | 66             |
| Packaging Height PL3 | 140            |

|                        |             |
|------------------------|-------------|
| Packaging Height PL4   | 750         |
| Packaging Length PL1   | 68          |
| Packaging Length PL3   | 248         |
| Packaging Length PL4   | 1200        |
| Packaging Quantity PL1 | 1           |
| Packaging Quantity PL3 | 10          |
| Packaging Quantity PL4 | 960         |
| Packaging Type PL1     | Plastic_Bag |
| Packaging Type PL3     | Box         |
| Packaging Type PL4     | Pallet      |
| Packaging Volume PL1   | 0,000228888 |
| Packaging Volume PL3   | 0,00479136  |
| Packaging Volume PL4   | 0,72        |
| Packaging Weight PL1   | 0,442       |
| Packaging Weight PL3   | 4,455       |
| Packaging Weight PL4   | 458,056     |
| Packaging Width PL1    | 51          |
| Packaging Width PL3    | 138         |
| Packaging Width PL4    | 800         |

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com