


Uponor Wipex coupling PN6 75x6,8-G2

1018333

- Connection of PE-Xa or PE pipe
- 6 bar, SDR 11
- Cylindric thread G" for O-ring sealing
- DR = dezincification resistance brass



Application information Uponor Wipex coupling PN6

Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

Certification

- Approvals should be checked by local responsible person

Uponor Wipex coupling PN6 75x6,8-G2

1018333



Measurements

Cylindric_thread_G	2
LENGTH_L	92
Length (l1)	20
Length (l2)	51
Wall thickness_s	6,8
z1	21

Product code

Item no EAN	7331541100076
Item no GF	35001018333
Item no GTIN	07331541100076
Item no LVI	1932075
Item no NOBB	41947246
Item no NRF	8362394
Item no RSK	2410669
Item no VVS	087883075

Dimensions

Item Unit Height	94
Item Unit Length	105
Item Unit Weight	1,446
Item Unit Width	90
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905259755
Packaging GTIN PL3	06414905259762
Packaging GTIN PL4	06414905259786
Packaging Height PL1	97
Packaging Height PL3	155

Packaging Height PL4	800
Packaging Length PL1	108
Packaging Length PL3	272
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	6
Packaging Quantity PL4	288
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000974268
Packaging Volume PL3	0,01054
Packaging Volume PL4	0,768
Packaging Weight PL1	1,457
Packaging Weight PL3	8,908
Packaging Weight PL4	452,584
Packaging Width PL1	93
Packaging Width PL3	250
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com