

Uponor Wipex coupling PN10 50x6,9-G1 1/4

1018340

- Connection of PE-Xa or PE pipe
- 10 bar, SDR 7,4
- Cylindric thread G" for O-ring sealing
- DR = dezincification resistance brass



Application information Uponor Wipex coupling PN10

Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application

- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

Certification

- Approvals should be checked by local responsible person

Uponor Wipex coupling PN10 50x6,9-G1 1/4

1018340



Measurements

Cylindric_thread_G	1 1/4
LENGTH_L	68
Length (l1)	16
Length (l2)	37
Wall thickness_s	6,9
z1	16

Product code

Item no EAN	7331541114141
Item no GF	35001018340
Item no GTIN	07331541114141
Item no LVI	1932150
Item no NOBB	41943436
Item no NRF	5110376
Item no RSK	2410675
Item no VVS	087883150

Dimensions

Item Unit Height	53
Item Unit Length	70
Item Unit Weight	0,667
Item Unit Width	75
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905259946
Packaging GTIN PL3	06414905259953
Packaging GTIN PL4	06414905259960
Packaging Height PL1	56
Packaging Height PL3	140

Packaging Height PL4	750
Packaging Length PL1	73
Packaging Length PL3	248
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	10
Packaging Quantity PL4	960
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000318864
Packaging Volume PL3	0,00479136
Packaging Volume PL4	0,72
Packaging Weight PL1	0,675
Packaging Weight PL3	6,765
Packaging Weight PL4	682,12
Packaging Width PL1	78
Packaging Width PL3	138
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com