


Uponor Wipex coupling PN10 75x10,3-G2

1018342

- Connection of PE-Xa or PE pipe
- 10 bar, SDR 7,4
- Cylindric thread G" for O-ring sealing
- DR = dezincification resistance brass



Application information Uponor Wipex coupling PN10

Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

Certification

- Approvals should be checked by local responsible person

Uponor Wipex coupling PN10 75x10,3-G2

1018342



Measurements

Cylindric_thread_G	2
LENGTH_L	92
Length (l1)	20
Length (l2)	51
Wall thickness_s	10,3
z1	21

Product code

Item no EAN	7331541100151
Item no GF	35001018342
Item no GTIN	07331541100151
Item no LVI	1932175
Item no NRF	8360676
Item no RSK	2410677
Item no VVS	087883175

Dimensions

Item Unit Height	94
Item Unit Length	100
Item Unit Weight	1,481
Item Unit Width	90
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905260010
Packaging GTIN PL3	06414905260027
Packaging GTIN PL4	06414905260034
Packaging Height PL1	97
Packaging Height PL3	270
Packaging Height PL4	700

Packaging Length PL1	103
Packaging Length PL3	250
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	6
Packaging Quantity PL4	288
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000929163
Packaging Volume PL3	0,0108
Packaging Volume PL4	0,672
Packaging Weight PL1	1,493
Packaging Weight PL3	9,145
Packaging Weight PL4	463,96
Packaging Width PL1	93
Packaging Width PL3	160
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com