


## Uponor Wipex tee G1-G1-G1

1018345

- Cylindric thread G" with sealing ring
- 6 bar, SDR 11 / 10 bar, SDR 7,4
- DR = dezincification resistance brass



### Application information Uponor Wipex tee

#### Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

#### Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

#### Certification

- Approvals should be checked by local responsible person

## Uponor Wipex tee G1-G1-G1

1018345



### Measurements

Cylindric_thread_G	1
Length (l1)	35
Length (l2)	35
Length (l3)	35

### Product code

Item no EAN	7331541098915
Item no GF	35001018345
Item no GTIN	07331541098915
Item no LVI	1933025
Item no NOBB	41947303
Item no NRF	8362413
Item no RSK	2410622
Item no VVS	087842008

### Dimensions

Item Unit Height	45
Item Unit Length	70
Item Unit Weight	0,333
Item Unit Width	60
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414905260065
Packaging GTIN PL3	06414905260072
Packaging GTIN PL4	06414905260089
Packaging Height PL1	48
Packaging Height PL3	140
Packaging Height PL4	750
Packaging Length PL1	73

Packaging Length PL3	248
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	20
Packaging Quantity PL4	1920
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000220752
Packaging Volume PL3	0,00479136
Packaging Volume PL4	0,72
Packaging Weight PL1	0,337
Packaging Weight PL3	6,755
Packaging Weight PL4	681,544
Packaging Width PL1	63
Packaging Width PL3	138
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)