

Uponor Wipex sleeve G3-G3

1018358

- Cylindric thread G" with sealing ring
- 6 bar, SDR 11 / 10 bar, SDR 7,4
- DR = dezincification resistance brass



Application information Uponor Wipex sleeve

Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application

- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

Certification

- Approvals should be checked by local responsible person

Uponor Wipex sleeve G3-G3

1018358

**Measurements**

Cylindric_thread_G	3
LENGTH_L	55

Product code

Item no EAN	7331541098809
Item no GF	35001018358
Item no GTIN	07331541098809
Item no LVI	1936080
Item no NOBB	41945865
Item no NRF	8360683
Item no RSK	2410617
Item no VVS	087830014

Dimensions

Item Unit Height	102
Item Unit Length	65
Item Unit Weight	0,739
Item Unit Width	102
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905437887
Packaging GTIN PL3	06414905446704
Packaging GTIN PL4	06414905490707
Packaging Height PL1	104
Packaging Height PL3	145
Packaging Height PL4	700
Packaging Length PL1	67
Packaging Length PL3	272
Packaging Length PL4	1200

Packaging Quantity PL1	1
Packaging Quantity PL3	10
Packaging Quantity PL4	480
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000724672
Packaging Volume PL3	0,0100572
Packaging Volume PL4	0,672
Packaging Weight PL1	0,749
Packaging Weight PL3	7,785
Packaging Weight PL4	398,68
Packaging Width PL1	104
Packaging Width PL3	255
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com