
Product data sheet




GF Uponor Q&E adapter PL FT 25-Rp1"

1023013

- Made of DR brass (lead-free)





Application information GF Uponor Q&E adapter PL FT

Specification


- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E adapter PL FT 25-Rp1"

1023013





Measurements

Female thread Rp	1
LENGTH_L	55
Length (l1)	22
Length (l2)	27
z1	6

Product code

Item no EAN	7331541032049
Item no GTIN	07331541032049
Item Replacement 1	1145670

Dimensions

Item Unit Height	55
Item Unit Length	42
Item Unit Weight	0,186
Item Unit Width	42
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905261024
Packaging GTIN PL3	06414905261031
Packaging GTIN PL4	06414905261048
Packaging Height PL1	42
Packaging Height PL3	95
Packaging Height PL4	700
Packaging Length PL1	210
Packaging Length PL3	380
Packaging Length PL4	1200

Packaging Quantity PL1	5
Packaging Quantity PL3	35
Packaging Quantity PL4	3360
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0011466
Packaging Volume PL3	0,006859
Packaging Volume PL4	0,672
Packaging Weight PL1	0,94
Packaging Weight PL3	6,7
Packaging Weight PL4	643,2
Packaging Width PL1	130
Packaging Width PL3	190
Packaging Width PL4	800

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+