Product data sheet





GF Uponor Q&E manifold PL MT/FT 3/4" 3x16 c/c35

1023028

- Made of DR brass (lead-free)







Application information GF Uponor Q&E manifold PL MT/FT

Specification


- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned

Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E manifold PL MT/FT 3/4" 3x16 c/c35

1023028



Measurements

Cylindric_thread_G	0,75
Female thread Rp	0,75
LENGTH_L	124
Length (l1)	26,5
Length (l2)	27,5
Length (l3)	34,5
Z Measurement b	35
z1	14,5
Z2	9,4

Product code

Item no EAN	7331541132688
Item no GF	35001023028
Item no GTIN	07331541132688

Dimensions

Item Unit Height	32
Item Unit Length	124
Item Unit Weight	0,261
Item Unit Width	50
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905261475
Packaging GTIN PL3	06414905261482
Packaging GTIN PL4	06414905261499
Packaging Height PL1	32
Packaging Height PL3	140

Packaging Height PL4	750
Packaging Length PL1	124
Packaging Length PL3	250
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	15
Packaging Quantity PL4	1440
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0001984
Packaging Volume PL3	0,004725
Packaging Volume PL4	0,72
Packaging Weight PL1	0,262
Packaging Weight PL3	4,095
Packaging Weight PL4	418,12
Packaging Width PL1	50
Packaging Width PL3	135
Packaging Width PL4	800

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+