


## Uponor Teck conduit black 54/48 25m

1023127

- corrugated conduit
- colour: black



### Application information Uponor Teck conduit black

#### Specification


- Corrugated, made of high density polyethylene (HDPE)
- Fire classification E according to EN 13501-1
- Supplied in coils.

#### Application

- Used for pipe in pipe (PIP) installations to reduce the risk for water damages and allow for flexible media pipe to be replaced

## Uponor Teck conduit black 54/48 25m

1023127



### Measurements

Inner_diameter_di	48
Outer Diameter_do	54

### Product code

Item no EAN	7321500018597
Item no GF	35001023127
Item no GTIN	07321500018597
Item no LVI	2013551
Item no NOBB	41943065
Item no NRF	5110136
Item no RSK	2417070
Item no VVS	087261154

### Dimensions

Item Unit Height	53.2
Item Unit Length	1000
Item Unit Weight	0,2052
Item Unit Width	53.2
Item_UOM	m

### Packaging

Packaging GTIN PL1	06414905439157
Packaging GTIN PL4	06414905491223
Packaging Height PL1	284
Packaging Height PL4	1900
Packaging Length PL1	640
Packaging Length PL4	1280
Packaging Quantity PL1	25
Packaging Quantity PL4	600
Packaging Type PL1	Coil

Packaging Type PL4	Pallet
Packaging Volume PL1	0,1163264
Packaging Volume PL4	3,11296
Packaging Weight PL1	5,13
Packaging Weight PL4	135,12
Packaging Width PL1	640
Packaging Width PL4	1280

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)