


Uponor RS adapter S-Press 63-RS2

1029125

- Made of tin-plated brass
- Fits to all RS2 or RS3 base parts.



Application information Uponor RS adapter S-Press

Specification

- with fixed press sleeve
- stop ring
- colour code
- Test safety

Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

if not different mentioned:


- Male and female threads acc.to EN 10226-1.

Certification

- Approvals by local OM.
- E.g.
- DVGW
 - AENOR

Uponor RS adapter S-Press 63-RS2

1029125



Product code

| | |
|--------------|----------------|
| Item no EAN | 4021598106628 |
| Item no GF | 35001029125 |
| Item no GTIN | 04021598106628 |
| Item no NRF | 5071233 |
| Item no VVS | 045450063 |

Dimensions

| | |
|------------------|------|
| Item Unit Height | 70 |
| Item Unit Length | 92 |
| Item Unit Weight | 0,57 |
| Item Unit Width | 70 |
| Item_UOM | pce |

Measurements

| | |
|-------------|------|
| LENGTH_L | 87,8 |
| Length (l1) | 20 |
| Length (l2) | 60,7 |
| z1 | 7,1 |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414905263776 |
| Packaging GTIN PL4 | 06414905263783 |
| Packaging Height PL1 | 100 |
| Packaging Height PL4 | 680 |
| Packaging Length PL1 | 96 |
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 1 |
| Packaging Quantity PL4 | 400 |
| Packaging Type PL1 | Base_Box |
| Packaging Type PL4 | Pallet |

| | |
|----------------------|-----------|
| Packaging Volume PL1 | 0,0008832 |
| Packaging Volume PL4 | 0,6528 |
| Packaging Weight PL1 | 0,68 |
| Packaging Weight PL4 | 252 |
| Packaging Width PL1 | 92 |
| Packaging Width PL4 | 800 |

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com