


## Uponor RS adapter S-Press 90-RS3

1029127

- Made of tin-plated brass
- Fits to all RS2 or RS3 base parts.



### Application information Uponor RS adapter S-Press

#### Specification

- with fixed press sleeve
- stop ring
- colour code
- Test safety

#### Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

if not different mentioned:


- Male and female threads acc.to EN 10226-1.

#### Certification

- Approvals by local OM.
- E.g.
- DVGW
  - AENOR

## Uponor RS adapter S-Press 90-RS3

1029127



### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 4021598106642  |
| Item no GF   | 35001029127    |
| Item no GTIN | 04021598106642 |
| Item no LVI  | 1720824        |
| Item no NRF  | 5071235        |
| Item no RSK  | 1899489        |
| Item no VVS  | 045450090      |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 90    |
| Item Unit Length | 80    |
| Item Unit Weight | 1,337 |
| Item Unit Width  | 80    |
| Item_UOM         | pce   |

### Measurements

|             |      |
|-------------|------|
| LENGTH_L    | 92,6 |
| Length (l1) | 20   |
| Length (l2) | 62   |
| z1          | 10,6 |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414905439379 |
| Packaging GTIN PL4     | 06414905491285 |
| Packaging Height PL1   | 115            |
| Packaging Height PL4   | 715            |
| Packaging Length PL1   | 150            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL1 | 1              |
| Packaging Quantity PL4 | 240            |

|                      |           |
|----------------------|-----------|
| Packaging Type PL1   | Base_Box  |
| Packaging Type PL4   | Pallet    |
| Packaging Volume PL1 | 0,0022425 |
| Packaging Volume PL4 | 0,6864    |
| Packaging Weight PL1 | 1,46      |
| Packaging Weight PL4 | 350,4     |
| Packaging Width PL1  | 130       |
| Packaging Width PL4  | 800       |

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)