


Uponor RS coupling RS3-RS3

1029145

- Made of tin-plated brass



Application information Uponor RS coupling

Specification

- with fixed press sleeve
- stop ring
- colour code
- Test safety

Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

if not different mentioned:


- Male and female threads acc.to EN 10226-1.

Certification

- Approvals by local OM.
- E.g.
- DVGW
 - AENOR

Uponor RS coupling RS3-RS3

1029145



Product code

| | |
|--------------|----------------|
| Item no EAN | 4021598106826 |
| Item no GF | 35001029145 |
| Item no GTIN | 04021598106826 |
| Item no LVI | 1720810 |
| Item no NRF | 5071219 |
| Item no RSK | 1899481 |
| Item no VVS | 045456114 |

Dimensions

| | |
|------------------|------|
| Item Unit Height | 63 |
| Item Unit Length | 101 |
| Item Unit Weight | 0,73 |
| Item Unit Width | 101 |
| Item_UOM | pce |

Measurements

| | |
|----------|----|
| LENGTH_L | 58 |
|----------|----|

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414905439515 |
| Packaging GTIN PL4 | 06414905491421 |
| Packaging Height PL1 | 70 |
| Packaging Height PL4 | 600 |
| Packaging Length PL1 | 150 |
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 1 |
| Packaging Quantity PL4 | 480 |
| Packaging Type PL1 | Base_Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,001365 |

| | |
|----------------------|---------|
| Packaging Volume PL4 | 0,576 |
| Packaging Weight PL1 | 0,8 |
| Packaging Weight PL4 | 378,904 |
| Packaging Width PL1 | 130 |
| Packaging Width PL4 | 800 |

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com