

Uponor Q&E valve concealed PL 25-25

1038421

- Made of Brass



Application information Uponor Q&E valve concealed PL

Specification

- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned

Application

if not different mentioned:

- Male and female threads acc.to EN 10226-1.

Uponor Q&E valve concealed PL 25-25

1038421



Product code

Item no EAN	6414905516414
Item no GF	35001038421
Item no GTIN	06414905516414

Dimensions

Item Unit Height	32
Item Unit Length	90
Item Unit Weight	0,278
Item Unit Width	93
Item_UOM	pce

Measurements

Length (l1)	43,5
Length (l2)	91
Length (l3)	48,5
z1	27
Z3	27

Technical data

Recycling Text Block PL2	Corrugated fibreboard
Recycling Text Block PL3	Corrugated fibreboard

Packaging

Packaging GTIN PL1	06414905266944
Packaging GTIN PL2	06414905266951
Packaging GTIN PL3	06414905266968
Packaging GTIN PL4	06414905266975
Packaging Height PL1	100
Packaging Height PL2	100
Packaging Height PL3	165
Packaging Height PL4	150

Packaging Length PL1	150
Packaging Length PL2	250
Packaging Length PL3	220
Packaging Length PL4	1200
Packaging Material (number) PL2	20
Packaging Material (number) PL3	20
Packaging Material PL2	Corrugated fibreboard
Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL2	PAP
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	1
Packaging Quantity PL2	10
Packaging Quantity PL3	90
Packaging Quantity PL4	2340
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00225
Packaging Volume PL2	0,003125
Packaging Volume PL3	0,01089
Packaging Volume PL4	0,144
Packaging Weight PL1	0,283
Packaging Weight PL2	2,93
Packaging Weight PL3	26,58
Packaging Weight PL4	716,08
Packaging Width PL1	150
Packaging Width PL2	125
Packaging Width PL3	300
Packaging Width PL4	800

Documents

Page with all documents



Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com