


## Uponor Radi Pipe natural in conduit red 20x2,0 28/23 50m

1042149

- Pipes manufactured from peroxide cross-linked polyethylene (PE-Xa) acc. EN ISO 15875
- EVOH (ethylene vinyl alcohol) layer for oxygen diffusion resistance as per DIN 4726
- Application class 5 - high temperature radiators
- Fire classification E according to DIN EN 13501-1.
- Conduits manufactured from high density polyethylene
- Heating: The permanent operating temperature ranges up to 90°C. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.
- Leakage free installations with possibility to exchange pipes in case of damage
- Operating pressure 6 bar
- Coils



### Application information Uponor Radi Pipe natural in conduit red

#### Specification


- Pipes manufactured from peroxide cross-linked polyethylene (PE-Xa) acc. EN ISO 15875
- EVOH (ethylene vinyl alcohol) layer for oxygen diffusion resistance as per DIN 4726
- Application class 5 - high temperature radiators
- Fire classification E according to DIN EN 13501-1.

#### Application

- Heating: The permanent operating temperature ranges up to 90°C. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

## Uponor Radi Pipe natural in conduit red 20x2,0 28/23 50m

1042149



### Measurements

Inner_diameter_di1	23
Outer Diameter_do	20
Outer Diameter_do1	28
Wall thickness_s	2

### Product code

Item no EAN	7321500047016
Item no GF	35001042149
Item no GTIN	07321500047016

### Dimensions

Item Unit Height	28
Item Unit Length	1000
Item Unit Weight	0,194
Item Unit Width	28
Item_UOM	m

### Packaging

Packaging GTIN PL1	06414905267200
Packaging GTIN PL4	06414905267217
Packaging Height PL1	110
Packaging Height PL4	800
Packaging Length PL1	800
Packaging Length PL4	1200
Packaging Quantity PL1	50
Packaging Quantity PL4	400
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0704
Packaging Volume PL4	0,768

Packaging Weight PL1	10,85
Packaging Weight PL4	86,8
Packaging Width PL1	800
Packaging Width PL4	800

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)