


## Uponor Wipex jointing equal PN10 25x3,5-25x3,5

**1042970**

- Connection of PE-Xa or PE pipe
- 10 bar, SDR 7,4
- DR = dezincification resistance brass



### Application information Uponor Wipex jointing equal PN10

#### Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

#### Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

#### Certification

- Approvals should be checked by local responsible person

## Uponor Wipex jointing equal PN10 25x3,5-25x3,5

1042970



### Product code

Item no EAN	7331541200738
Item no GF	35001042970
Item no GTIN	07331541200738
Item no LVI	1932113
Item no NRF	8360781
Item no RSK	1883174
Item no VVS	087882125

### Dimensions

Item Unit Height	41
Item Unit Length	53
Item Unit Weight	0,176
Item Unit Width	39
Item_UOM	pce

### Measurements

LENGTH_L	54
Length (l1)	21
Length (l2)	21
Wall thickness_s	3,5
z1	12

### Packaging

Packaging GTIN PL1	06414905299874
Packaging GTIN PL3	06414905299881
Packaging GTIN PL4	06414905299898
Packaging Height PL1	44
Packaging Height PL3	140
Packaging Height PL4	700
Packaging Length PL1	56

Packaging Length PL3	248
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	40
Packaging Quantity PL4	4200
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000103488
Packaging Volume PL3	0,00479136
Packaging Volume PL4	0,672
Packaging Weight PL1	0,179
Packaging Weight PL3	7,135
Packaging Weight PL4	764,2
Packaging Width PL1	42
Packaging Width PL3	138
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)