


Uponor Wipex jointing equal PN6 32x2,9-32x2,9

1042973

- Connection of PE-Xa or PE pipe
- 6bar, SDR 11
- DR = dezincification resistance brass



Application information Uponor Wipex jointing equal PN6

Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

Certification

- Approvals should be checked by local responsible person

Uponor Wipex jointing equal PN6 32x2,9-32x2,9

1042973



Product code

Item no EAN	7331541200752
Item no GF	35001042973
Item no GTIN	07331541200752
Item no LVI	1932102
Item no NOBB	42496417
Item no NRF	8360792
Item no RSK	2410694
Item no VVS	087882032

Dimensions

Item Unit Height	31
Item Unit Length	48
Item Unit Weight	0,338
Item Unit Width	75
Item_UOM	pce

Measurements

LENGTH_L	62,5
Length (l1)	25,5
Length (l2)	25,5
Wall thickness_s	2,9
z1	11,5

Packaging

Packaging GTIN PL1	06414905299935
Packaging GTIN PL3	06414905299942
Packaging GTIN PL4	06414905299959
Packaging Height PL1	34
Packaging Height PL3	140
Packaging Height PL4	700

Packaging Length PL1	52
Packaging Length PL3	248
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	25
Packaging Quantity PL4	1800
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000139672
Packaging Volume PL3	0,00479136
Packaging Volume PL4	0,672
Packaging Weight PL1	0,343
Packaging Weight PL3	8,545
Packaging Weight PL4	633,4
Packaging Width PL1	79
Packaging Width PL3	138
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com