


Uponor Wipex jointing equal PN10 32x4,4-32x4,4

1042974

- Connection of PE-Xa or PE pipe
- 10 bar, SDR 7,4
- DR = dezincification resistance brass



Application information Uponor Wipex jointing equal PN10

Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

Certification

- Approvals should be checked by local responsible person

Uponor Wipex jointing equal PN10 32x4,4-32x4,4

1042974



Product code

Item no EAN	7331541200769
Item no GF	35001042974
Item no GTIN	07331541200769
Item no LVI	1932109
Item no NOBB	42496402
Item no NRF	8360782
Item no RSK	2410689
Item no VVS	087882132

Dimensions

Item Unit Height	60
Item Unit Length	36
Item Unit Weight	0,333
Item Unit Width	48
Item_UOM	pce

Measurements

LENGTH_L	64
Length (l1)	26
Length (l2)	26
Wall thickness_s	4,4
z1	12

Packaging

Packaging GTIN PL1	06414905299966
Packaging GTIN PL3	06414905299973
Packaging GTIN PL4	06414905299980
Packaging Height PL1	62
Packaging Height PL3	140
Packaging Height PL4	700

Packaging Length PL1	38
Packaging Length PL3	248
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	25
Packaging Quantity PL4	1800
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0001178
Packaging Volume PL3	0,00479136
Packaging Volume PL4	0,672
Packaging Weight PL1	0,336
Packaging Weight PL3	8,42
Packaging Weight PL4	624,4
Packaging Width PL1	50
Packaging Width PL3	138
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com