


Uponor Wipex jointing equal PN6 40x3,7-40x3,7

1042980

- Connection of PE-Xa or PE pipe
- 6bar, SDR 11
- DR = dezincification resistance brass



Application information Uponor Wipex jointing equal PN6

Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

Certification

- Approvals should be checked by local responsible person

Uponor Wipex jointing equal PN6 40x3,7-40x3,7

1042980



Product code

Item no EAN	7331541200783
Item no GF	35001042980
Item no GTIN	07331541200783
Item no LVI	1932103
Item no NOBB	42496436
Item no NRF	8360793
Item no RSK	2410695
Item no VVS	087882040

Dimensions

Item Unit Height	77
Item Unit Length	60
Item Unit Weight	0,538
Item Unit Width	46
Item_UOM	pce

Measurements

LENGTH_L	71
Length (l1)	29
Length (l2)	29
Wall thickness_s	3,7
z1	13

Packaging

Packaging GTIN PL1	06414905400027
Packaging GTIN PL3	06414905400034
Packaging GTIN PL4	06414905400041
Packaging Height PL1	79
Packaging Height PL3	145
Packaging Height PL4	750

Packaging Length PL1	62
Packaging Length PL3	250
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	15
Packaging Quantity PL4	1440
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000235104
Packaging Volume PL3	0,00532875
Packaging Volume PL4	0,72
Packaging Weight PL1	0,544
Packaging Weight PL3	8,244
Packaging Weight PL4	816,376
Packaging Width PL1	48
Packaging Width PL3	147
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com