


Uponor Wipex jointing equal PN6 63x5,8-63x5,8

1042981

- Connection of PE-Xa or PE pipe
- 6bar, SDR 11
- DR = dezincification resistance brass



Application information Uponor Wipex jointing equal PN6

Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

Certification

- Approvals should be checked by local responsible person

Uponor Wipex jointing equal PN6 63x5,8-63x5,8

1042981



Product code

Item no EAN	7331541200790
Item no GF	35001042981
Item no GTIN	07331541200790
Item no LVI	1932105
Item no NOBB	42496580
Item no NRF	8360795
Item no RSK	2410697
Item no VVS	087882063

Dimensions

Item Unit Height	110
Item Unit Length	85
Item Unit Weight	1,501
Item Unit Width	77
Item_UOM	pce

Measurements

LENGTH_L	105
Length (l1)	46
Length (l2)	46
Wall thickness_s	5,8
z1	13

Packaging

Packaging GTIN PL1	06414905400058
Packaging GTIN PL3	06414905400065
Packaging GTIN PL4	06414905400072
Packaging Height PL1	112
Packaging Height PL3	100
Packaging Height PL4	700

Packaging Length PL1	87
Packaging Length PL3	350
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	5
Packaging Quantity PL4	300
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000769776
Packaging Volume PL3	0,00875
Packaging Volume PL4	0,672
Packaging Weight PL1	1,524
Packaging Weight PL3	7,539
Packaging Weight PL4	475,3
Packaging Width PL1	79
Packaging Width PL3	250
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com